

[illegible]

3-

Sy

LI

LI  
LILI  
LI  
LILI  
LI

LI

LI  
LILI  
LILI  
LI

LI

LI  
LI

LI

LI  
LI

LI

LI  
LI

LI

11

LI

LI  
LI

LI

LI  
LI

21

LI

LI  
LI

22

11

LI  
LI

LI

LI  
LI

LI

\_\_\_\_\_

```

LL      IIIIII  BBBB BBBB  AAAAAA  222222  EEEEEEEEEEE  RRRRRRRR  EEEEEEEEEEE  VV      VV
LL      IIIIII  BBBB BBBB  AAAAAA  222222  EEEEEEEEEEE  RRRRRRRR  EEEEEEEEEEE  VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LL      II      BB      AA      AA  22      22  EE      RR      EE      VV      VV
LLLLLLLLLLLL  IIIIII  BBBB BBBB  AAAAAA  2222222222  EEEEEEEEEEE  RRRRRRRR  EEEEEEEEEEE  VV      VV
LLLLLLLLLLLL  IIIIII  BBBB BBBB  AAAAAA  2222222222  EEEEEEEEEEE  RRRRRRRR  EEEEEEEEEEE  VV      VV

```

  

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLLLL  IIIIII  SSSSSSSS

```



(2)	49	HISTORY	; Detailed Current Edit History
(3)	58	DECLARATIONS	
(4)	89	LIB\$AB_ASC_EBC_REV	

```
0000 1 .TITLE LIBSAB_ASC_EBC_REV Reversible ASCII to EBCDIC Trans. Table
0000 2 .IDENT /1-0027 ; File: LIBA2EREV.MAR
0000 3
0000 4
0000 5 *****
0000 6
0000 7 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 * ALL RIGHTS RESERVED.
0000 10
0000 11 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 * TRANSFERRED.
0000 17
0000 18 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 * CORPORATION.
0000 21
0000 22 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24
0000 25 *****
0000 26
0000 27
0000 28 FACILITY: GENERAL-PURPOSE UTILITY
0000 29 ++
0000 30 ABSTRACT:
0000 31 This module contains the Reversible ASCII to EBCDIC translation
0000 32 table.
0000 33
0000 34
0000 35 --
0000 36
0000 37 VERSION: 1
0000 38
0000 39 HISTORY:
0000 40
0000 41 AUTHOR:
0000 42 Peter D Gilbert, 10-Feb-1981
0000 43
0000 44 MODIFIED BY:
0000 45
0000 46
0000 47
```



LIB\$AB\_ASC\_EBC\_REV  
1-002

Reversible ASCII to EBCDIC Trans. Table N 5 15-SEP-1984 23:45:43 VAX/VMS Macro V04-00  
HISTORY ; Detailed Current Edit History 6-SEP-1984 11:03:00 [LIBRTL.SRC]LIBA2EREV.MAR;1 Page 2  
(2)

0000 49 .SBTTL HISTORY ; Detailed Current Edit History  
0000 50  
0000 51  
0000 52 : Edit History for Version 1  
0000 53 :  
0000 54 : 1-001 - Original. PDG 10-Feb-1981  
0000 55 : 1-002 - Change name of module and table to current names.  
0000 56 : RKR 23-DEC-1981



```
0000 58      .SBTTL DECLARATIONS
0000 59
0000 60 :
0000 61 : INCLUDE FILES:
0000 62 :     NONE
0000 63 :
0000 64 :
0000 65 :
0000 66 : EXTERNAL SYMBOLS:
0000 67 :     NONE
0000 68 :
0000 69 :
0000 70 :
0000 71 : MACROS:
0000 72 :     NONE
0000 73 :
0000 74 :
0000 75 :
0000 76 : PSECT DECLARATIONS:
0000 77 :     .PSECT _LIB$CODE PIC, USR, CON, REL, LCL, SHR, EXE, RD, NOWRT
0000 78 :
0000 79 :
0000 80 : EQUATED SYMBOLS:
0000 81 :     NONE
0000 82 :
0000 83 :
0000 84 :
0000 85 : OWN STORAGE:
0000 86 :     NONE
0000 87 :
```



```
0000 89 .SBTTL LIB$AB_ASC_EBC_REV
0000 90
0000 91 :++
0000 92 : FUNCTIONAL DESCRIPTION:
0000 93 :
0000 94 : This is the Reversible ASCII to EBCDIC translation table, based
0000 95 : on ANSI X3.26 - 1970
0000 96 :
0000 97 : All ASCII graphics are translated to their equivalent EBCDIC
0000 98 : graphic except for:
0000 99 :
0000 100 : ASCII graphic EBCDIC graphic
0000 101 : -----
0000 102 : [ (left square bracket) cents sign
0000 103 : ! (exclamation point) short vertical bar
0000 104 : ^ (circumflex) logical not
0000 105 : ] (right square bracket) ! (exclamation point)
0000 106 :
0000 107 : Note that this translation table, unlike LIB$AB_ASC_EBC, is a
0000 108 : one-to-one onto mapping. That is, it has a reverse translation,
0000 109 : namely LIB$AB_EBC_ASC_REV.
0000 110 :--
0000 111 :
0000 112 LIB$AB_ASC_EBC_REV::
0000 113 .BYTE ^X00,^X01,^X02,^X03,^X37,^X2D,^X2E,^X2F : 00-07
0008 114 .BYTE ^X16,^X05,^X25,^X0B,^X0C,^X0D,^X0E,^X0F : 08-0F
0010 115 .BYTE ^X10,^X11,^X12,^X13,^X3C,^X3D,^X32,^X26 : 10-17
0018 116 .BYTE ^X18,^X19,^X3F,^X27,^X1C,^X1D,^X1E,^X1F : 18-1F
0020 117 .BYTE ^X4C,^X4F,^X7F,^X7B,^X5B,^X6C,^X50,^X7D : 20-27
0028 118 .BYTE ^X4D,^X5D,^X5C,^X4E,^X6B,^X60,^X4B,^X61 : 28-2F
0030 119 .BYTE ^XF0,^XF1,^XF2,^XF3,^XF4,^XF5,^XF6,^XF7 : 30-37
0038 120 .BYTE ^XF8,^XF9,^X7A,^X5E,^X4C,^X7E,^X6E,^X6F : 38-3F
0040 121 .BYTE ^X7C,^XC1,^XC2,^XC3,^XC4,^XC5,^XC6,^XC7 : 40-47
0048 122 .BYTE ^XC8,^XC9,^XD1,^XD2,^XD3,^XD4,^XD5,^XD6 : 48-4F
0050 123 .BYTE ^XD7,^XD8,^XD9,^XE2,^XE3,^XE4,^XE5,^XE6 : 50-57
0058 124 .BYTE ^XE7,^XE8,^XE9,^X4A,^XE0,^X5A,^X5F,^X6D : 58-5F
0060 125 .BYTE ^X79,^X81,^X82,^X83,^X84,^X85,^X86,^X87 : 60-67
0068 126 .BYTE ^X88,^X89,^X91,^X92,^X93,^X94,^X95,^X96 : 68-6F
0070 127 .BYTE ^X97,^X98,^X99,^XA2,^XA3,^XA4,^XA5,^XA6 : 70-77
0078 128 .BYTE ^XA7,^XA8,^XA9,^XC0,^X6A,^XD0,^XA1,^X07 : 78-7F
0080 129 .BYTE ^X20,^X21,^X22,^X23,^X24,^X15,^X06,^X17 : 80-87
0088 130 .BYTE ^X28,^X29,^X2A,^X2B,^X2C,^X09,^X0A,^X1B : 88-8F
0090 131 .BYTE ^X30,^X31,^X1A,^X33,^X34,^X35,^X36,^X08 : 90-97
0098 132 .BYTE ^X38,^X39,^X3A,^X3B,^X04,^X14,^X3E,^XE1 : 98-9F
00A0 133 .BYTE ^X41,^X42,^X43,^X44,^X45,^X46,^X47,^X48 : A0-A7
00A8 134 .BYTE ^X49,^X51,^X52,^X53,^X54,^X55,^X56,^X57 : A8-AF
00B0 135 .BYTE ^X58,^X59,^X62,^X63,^X64,^X65,^X66,^X67 : B0-B7
00B8 136 .BYTE ^X68,^X69,^X70,^X71,^X72,^X73,^X74,^X75 : B8-BF
00C0 137 .BYTE ^X76,^X77,^X78,^X80,^X8A,^X8B,^X8C,^X8D : C0-C7
00C8 138 .BYTE ^X8E,^X8F,^X90,^X9A,^X9B,^X9C,^X9D,^X9E : C8-CF
00D0 139 .BYTE ^X9F,^XA0,^XAA,^XAB,^XAC,^XAD,^XAE,^XAF : D0-D7
00D8 140 .BYTE ^XB0,^XB1,^XB2,^XB3,^XB4,^XB5,^XB6,^XB7 : D8-DF
00E0 141 .BYTE ^XB8,^XB9,^XBA,^XBB,^XBC,^XBD,^XBE,^XBF : E0-E7
00E8 142 .BYTE ^XCA,^XCB,^XCC,^XCD,^XCE,^XCF,^XDA,^XDB : E8-EF
00F0 143 .BYTE ^XDC,^XDD,^XDE,^XDF,^XEA,^XEB,^XEC,^XED : F0-F7
00F8 144 .BYTE ^XEE,^XEF,^XFA,^XFB,^XFC,^XFD,^XFE,^XFF : F8-FF
0100 145 ;
```



LIB\$AB\_ASC\_EBC\_REV  
1-002

Reversible ASCII to EBCDIC Trans. <sup>D 6</sup> Table  
LIB\$AB\_ASC\_EBC\_REV

15-SEP-1984 23:45:43  
6-SEP-1984 11:03:00

VAX/VMS Macro V04-00  
[LIBRTL.SRC]LIBA2EREV.MAR;1

Page 5  
(4)

0100 146 .END



LIB\$AB\_ASC\_EBC\_REV 00000000 RG 01

+-----+  
! Psect synopsis !  
+-----+

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 ( 0.)	00 ( 0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
LIB\$CODE	00000100 ( 256.)	01 ( 1.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC BYTE

+-----+  
! Performance indicators !  
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.06	00:00:00.58
Command processing	103	00:00:00.32	00:00:07.45
Pass 1	64	00:00:00.48	00:00:02.10
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	41	00:00:00.29	00:00:02.72
Symbol table output	2	00:00:00.01	00:00:00.17
Psect synopsis output	2	00:00:00.01	00:00:00.01
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	243	00:00:01.17	00:00:13.10

The working set limit was 900 pages.  
2739 bytes (6 pages) of virtual memory were used to buffer the intermediate code.  
There were 10 pages of symbol table space allocated to hold 1 non-local and 0 local symbols.  
146 source lines were read in Pass 1, producing 8 object records in Pass 2.  
0 pages of virtual memory were used to define 0 macros.

+-----+  
! Macro library statistics !  
+-----+

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0

0 GETS were required to define 0 macros.  
There were no errors, warnings or information messages.  
MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:LIBA2EREV/OBJ=OBJ\$:LIBA2EREV MSRC\$:LIBA2EREV/UPDATE=(ENH\$:LIBA2EREV)



0203 AH-BT13A-SE  
VAX/VMS V4.0

**DIGITAL EQUIPMENT CORPORATION**  
**CONFIDENTIAL AND PROPRIETARY**